

	W <sup>a</sup>	W <sup>b</sup>	W <sup>c</sup>	T	Pa	Pb	M	N	Nt	Jp
1	BN 11		PN 7	IV 11	BN 11	BNc II 35	BNc I (f. Dr F) ?	BNc B 11	BNc B 11	BN A 11
	_____		_____	▨ ... ▨	▨ ... ▨	▨ ... ▨	?	▨ ...	_____	_____
				... [over BNc I 1-3]	... [over BNc I 1-4]	... [over BNc II 35-37]		... [over BNc B 11-13]		
2										
2a										
	BN 12		PN 8							
				...	...	...	...	...	BNc B 12	...

2 N Sethe has

3  
164











Ww	Ww <sup>r</sup>	Ww	T	pb	M	N	Nt	Jp
			D/N 12	D/Ne II 36	D/No I (fr. G+ F)			
D/N 13	D/N 8	...		...	...	D/No D 12	...	D/No A 13
						...	D/No D 13	...

	W <sup>a</sup>	W <sup>b</sup>	T	P <sup>a</sup>	P <sup>b</sup>	M	N	Nt	Jp
4 16c									
	BN 14		BN 13	BNc 13	BNc 137				
5 16c									
	BN 14	PN 10				BNc 1 (fr. Q-F)	BNc B 13	BNc B 14	

(PT 23-24)

16. 6

7

Wa	Wb	T	pa	pb	M	N	Nt	Jp
			B/Nc 14		B/Nc I (fr Cr F)	(B/Nc B 13)	(B/Nc B 14)	
								
								
(ans of B/Nc 11)	(ans of P/N 10)			(under B/Nc II 25-27)			(under B/Nc B 1-6)	
↑ L 26	↑ L 26	↑ L 26	↑ L 26	↑ L 25	↑ L 25	↑ L 25	↑ L 25	↑ L 26